

The power of the big machines and the agility of the small ones







# The sturdy and strong structure enables to work everywhere



The GL and GxL scrubbing machines are suitable for small environments in any industry, even the most demanding ones. For this reason, the external body is so robust.

The polyethylene body completely protects mechanical parts, outlining a robust and clean design, which makes easier to move in particularly narrow areas.





The squeegee is made of aluminum and the frame is covered with a corrosion-resistant coating, so GL and GxL are totally protected against moisture while quality and performance are preserved over time.





# Fimap has chosen lithium-ion technology to give you more




Thanks to the lithium battery, you can charge up the machine whenever you want, so it's always ready when you need it.

And, compared with a traditional battery, it lasts longer and provides maximum power when you need it.

The lithium battery delivers the right power for each application and has excellent endurance





MAXIMUM POWER for dirty floors If the dirt is stubborn and difficult to remove, the machine delivers more power

MAXIMUM ENDURANCE for light maintenance cleaning When the dirt is lighter, power returns to normal levels thus the battery lasts longer

ENDURANCE (over time)



MAXIMUM POWER

Increased power only when needed



ALWAYS READY TO USE

No self-discharge, the battery is always ready when you need it. No memory effect, you can recharge the battery whenever you want



MAXIMUM ENDURANCE

Under normal dirt conditions, the power remains constant, increasing battery endurance



QUICK CHARGE

You can use GL and GxL many times in the same day: charging to 80% takes just one hour.

Charging to 100% takes 3 hours\*



LOW RUNNING AND MAINTENANCE COSTS

High discharge/charge cycle lifespan

\* With optional battery charger for Li-ion batteries



# New user experience: just a touch to get started

The small touchscreen enables a quicker and more intuitive use of the machine. Save time every day: to start a maintenance cleaning shift, just press the Eco mode and go.



GL and GxL can be used anytime and anywhere: with Eco mode, silence is ensured even in sensitive environments.









### Daily maintenance requires just a few minutes, thus saving time for additional tasks

### Smart solutions speed up maintenance operations

The recovery tank is equipped with a handle to be easily carried during emptying operations, like a common bucket.





GxL's dirty water tank can be emptied also using a handy lateral tube







Colour code highlights machine parts that need to be cleaned at the end of the shift, so as not to forget any steps of daily maintenance and ensure consistent performance over time.





### On-board battery charger

At the end of the shift, with the on-board battery charger, GL and GxL can be charged anywhere, thus avoiding wasting time to return to a specific place.

The access door to the battery compartment is designed to open completely and act as a support: this makes replacement easier and comfortable









### Parabolic squeegee

The squeegee is parabolic, it moves along with the machine when making turns or when the path is not straight. So drying is perfect, with no smudges, cleaning is flawless and the floor is immediately safe.








### No risk of slipping

The wide suction nozzle of the squeegee and the power of the vacuum motor increase drying performance, thus leaving the floor immediately dry and safe to walk on.



A pump supplies the cleaning solution with a constant flow, which starts from the center of the brush, thus ensuring uniform cleaning even with low amount of water.

### Great power for amazing results



With the orbital movement, every point of the pad is in constant contact with the floor, ensuring that the cleaning result is always uniform across the entire surface, with reduced energy consumption. The pad action traps the solution and stops it running off at the sides, thereby reducing water consumption.



a lever.

#### EFFECTIVE

Uniform cleaning action on the entire surface of the pad



### VERSATILE

Depending on the type of associated pad, GXL can perform numerous treatments. It is therefore suitable for a wide variety of applications



#### COMFORTABLE

Vibrations are reduced to a minimum, thus ensuring greater stability and easy handling



### ECO-SUSTAINABLE

The orbital movement reduces the consumption of water, detergent and energy



# High brush pressure to easily tackle even the most stubborn dirt on any type of flooring

	GL Pro WITHOUT TRACTION		GxL Pro WITHOUT TRACTION		GxL Bt Pro WITH TRACTION	
Batteries	(2) 12V - 33 Ah	(1) 24V - 30 Ah	(2) 12V - 55 Ah	(1) 24V - 30 Ah	24	(1) 4V - 30 Ah
Working autonomy	up to 2 hours	up to 3 hours		to		up to <b>2</b> hours
Pressure on the brush	up to 30 Kg		up to <b>40</b> кд			
Brush motor power	440 w		500 W (disc) - 400 W (orbital)			
Solution tank	15:		251			

### Great power for amazing results



### An extraordinary cleaning power where you don't expect it

GL and GxL provide the power and effectiveness of professional cleaning in the tightest passageways in any industry, from the most demanding ones such as healthcare to the most challenging, such as the industrial sector.

They are perfect in spaces between 1000 and 1600 sq.m., to arrive where other scrubbing machines are unable to arrive, and complete the cleaning in supermarkets, warehouses, production sites, car showrooms, workshops, shops, schools, kitchens, canteens and restaurants.

The orbital version of GxL is ideal for heavy-duty treatments.

### Operator presence control

When the handlebars are released all machine functions immediately switch off, in order to guarantee safety even in case of sudden stops.





Watch the video

### **EXPERIENCE CONNECTIVITY**





Discover the FFM universe and experience the advantages of being constantly connected, with My.Machine app!

performed, the charger logs and anomalies occurred, in order to have a complete overview of the health status of each machine.

Keep tabs on your machines remotely when you want and from wherever you want!



### GEOLOCATION

It shows on a map the machine.



My.Machine app updates you in real time providing all the essential information to help you keep high the fleet performance. You can see from your smartphone or tablet where your machines are, if they're carrying out the cleaning task or if any anomaly occurred. You can see the list of the services

### USE INFORMATION

It's possible to know in what working mode the machine is operating and for how long. Moreover, it provides information about the duration of each intervention and the sa.m cleaned.



### HEALTH STATUS

Anytime is possible to monitor the health condition of both machines and batteries to have a clear view of the fleet availability and optimize its coordination.



### ENVIRONMENTAL IMPACT

All the data related to the CO<sub>2</sub> produced per intervention are available as well as the water and detergent consumption, in order to take action and improve the performance.



#### ALARMS

The anomalies occurred are summarized in a list which includes a description of the type of issue, and the date and time of the event. It helps you to have an overview of the improper uses that



#### BATTERY RECHARGE

It sums up all the complete and opportune recharges performed, the residual charge and the charge settings. This is an essential set of information to extend the battery lifespan and reduce the related costs.



#### SERVICES

An overview of the list of the maintenance services performed allows to identify discrepancies with the health condition of the machine in case an anomaly is detected, and to monitor the inspections of the whole fleet.

### Fimap towards carbon neutrality

### CARBON FOOTPRINT SYSTEMATIC APPROACH ISO 14067

GL and GxL are designed according to the principles of the circular economy so they can deliver maximum performance as long as possible and so at the end of their life cycle they can continue generating benefits for the environment.

For this reason, we give value to each phase of their life cycle, making it sustainable and efficient, from when they were produced (UPSTREAM), while they are being used (CORE), up to their disposal (DOWNSTREAM).

The life cycle of each machine therefore becomes a virtuous cycle, which we can quantify, using the certified calculation method

CFP - CARBON FOOTPRINT SYSTEMATIC APPROACH,

which communicates the emissions of CO2, of the individual model, for each sq.m. cleaned.

It is a starting point for a path of continuous improvement, which can even arrive to neutralizing its impact on the environment.

TAKE CARE OF THE ENVIRONMENT WITH A BETTER MANAGEMENT OF RESOURCES





I water, When the n using only and the water i more.

When the machine is lifle, the brush motor, the vacuum motor and the water flow will turn off automatically, reducing costs and emissions.



FES-FIMAP ENERGY SAVER
Reduces energy consumption by up to 35%



### 1.1 ECO DESIGN

- · Selection of materials for durability and recyclability
- · Collaboration with suppliers who reflect our values
- ✓ Quality materials that extend the product life cycle
- √ Simplification of end-of-life recycling/disposal procedures
- ✓ Protective design that reduces damage and accidents

### 1.2 MANUFACTURING - 1.3 LOGISTICS

- Industrialization to reduce weights, the variety and complexity of the components, in order to facilitate both assembly as well as disposal
- Packaging optimization: customized and FSC certified boxes for our machines; agreement with suppliers to reuse the packaging up to 20 times
- ✓ Machines easier to maintain, restore and dispose of

### 2.1. PLANNING

- Planning of cleaning projects in line with environmental requirements of public and private bodies
- ✓ Competitiveness for contracts and tenders
- ✓ Optimization of economic and environmental aspects

### 2.2 CONFIGURATION - 2.3 USE

- · Customized configuration and setting according to specific needs for cleaning and sustainability
- · Calculation of the CO, emissions per sq.m. cleaned
- Reliability of cleaning interventions, forecast of costs and consumptions
- ✓ Consumption reduction: up to 75% of the water with detergent solution and up to 35% of energy
- ✓ Plan for compensation of the CO<sub>2</sub> emitted, up to 100% for the entire life cycle







- Constant remote monitoring of the machines with Fimap Fleet Management
- ✓ Control of consumption, effective use of the machine and the batteries
- ✓ Battery lifespan increased up to 50%
- Reduction of waste and relative costs due to inefficient use of the machine and the batteries
- ✓ Performance maintained over time

### 2.5 MAINTENANCE - 2.6 REFURBISHMENT

- . Customized maintenance programs according to the application
- ✓ Transformation of variable costs into fixed, lower costs
- ✓ Extension of the product life cycle up to 200%
- ✓ Value of the machine maintained over time

### 3. 1 RECYCLING - 3.2 DISPOSAL

- · High percentage of recyclable material, up to 75%
- · Disposal activity simplified by a functional design
- ✓ Reduced disposal costs
- ✓ Material disposal in line with regulations
- √ Improvement of the environmental policy



REFURBISHMENT

RECYCLING

RECYCLING 3.1





### Configure them as you wish



### OPTIONALS



On board battery charger for AGM/Li-ior



Battery charger for Li-ion batteries (fast charge)



FFM LITE-FIMAP FLEET MANAGEMENT



Antibacterial tanks help inhibit the growth of bacteria and mold

### **ACCESSORIES**



A wide choice of disc brushes in PPL is offered, available in thicknesses from 0.3 t 0.9 cm.

These offer the perfect solution for dealin with any type of dirt on any floor.

Abrasive brushes: Ideal for heavy duty cleaning on industria surfaces.



Squeegee rubber blades

33 SHORE (PARA)
For maintenance cleaning of smooth floors

For stubborn dirt on floors with joints.


POLITORE MANE. For heavy duty cleaning on industrial floors, even with wide gaps



### **OPTIONAL AND STANDARD EQUIPMENT**

	SINGL	ORBITAL		
USER EXPERIENCE	GL Pro	GxL Pro / GxL Bt Pro	GxL Orbital Pro	
Membrane control panel	•	•	•	
COMFORT	_			
Hour meter	•		•	
Cleaning solution level indicator	•	•	•	
On board battery charger for AGM/Li-ion batteries	0	0	0	
Battery charger for Li-ion batteries (fast charge)	0	0	0	
Automatic brush coupling/uncoupling	•	•		
Noiseless suction	•	•	•	
Key switch	-	-/•	•	
ON / OFF brush motor	-	-/•	•	
PRODUCTIVITY	T			
Water flow selector			•	
FFM Lite (Fimap Fleet Management)	0	0	0	
Squeegee and squeegee support in aluminum	•	•	•	
Forward/backward control	-	-1•	•	
Speed adjustment		-/•	•	
SAFETY				
Operator presence control	•	•	•	
Antibacterical tanks	0	0	0	
ENVIRONMENT				
Eco Mode	•		•	
FES (Fimap Energy Saver)	•	•	•	
StartEtStop	•	•		

### **DIMENSIONS AND TECHNICAL DATA**



TECHNICAL DATA			SINGLE DISC		ORBITAL	
TECHNICAL DATA		GL Pro	GxL Pro	GxL Bt Pro	GxL Orbital Pro	
roductivity theoretical up to sqm/h		1000	1200	1200		
SCRUBBING SYSTEM						
Working width	mm	355		430		
Brush motor	(no.) V/W	(1) 24/440 (1)		24/500 (1) 24/400		
Brush rpm	rpm	197	1-			
Oscillations	rpm	-	-		2300	
Brush pressure (up to)	kg	30	40			
TANK AND RECOVERY SYSTEM						
Solution tank	1	15		25		
Recovery tank	T T	17	27			
Suction motor	V/W	24/280				
Vacuum water lift	mbar	69		68		
BATTERY SYSTEM						
Supply/traction	V	24/semi aut.		24/aut.		
Batteries	(no.) V	(2) 12 (AGM) (1) 24 (LI-ION)		(1) 24 (LI-ION)		
Battery run time*	up to h	2 (AGM) 3 (LI-ION) 3		2		
PROPELLING SYSTEM			_			
Forward working speed	km/h	2,5		4		
Transport speed	km/h	-		4,6		
Traction motor	V/W	-		24/150		
SPECIFICATIONS						
Machine dimensions (L x h x w)	mm	765 1110 490		895 1215 530		
Squeegee width	mm	440		516		
Machine weight empty without batteries	kg	52,5	68	74,2	70,2	
Machine weight empty with batteries	kg	73,5 (AGM)	105 (AGM)	- (LI-ION)	- (LI-ION)	
GVW (Gross Vehicle Weight)	kg	84	130	-	-	
Sound level (ISO 11201) - Eco Mode	dB (A)	61,4		<70		

<sup>\*</sup> Run times are based on continuous scrubbing run times in Eco Mode

### CONSULTING AND PLANNING



We put nor experience at your service, to help you realize the clearing project perfect you. We suggest you the best solutions to make costs decrease and service quality increase.

#### SETUP



We can help you set up your machines in order to mak them meet specifically the requirements of the sites of your project, allowing you to always have control over continued are the

#### AUTHORIZED WORKSHOP NETWORK



Fimap Authorized Workshop network spams the globe, so you can enjoy the peace of mind of finding a professional content of the peace of mind of finding a professional content of the peace of mind of finding a professional content of the peace of the pe

### CONFIGURATION



Your business is unique, only a customized freet can lead you to better results. We will help you find the configurations that best fit the specific requirements of your chaming sites, in order to optimize processes and

#### TRAINING COURSES



Firmap Academy offers courses for all levels, from the correct use of machines and technologies, up to the management of sites and tenders, helping you to make your service really commetitive.

#### MAINTENANCE AND REPAIR



For your business to run smoothly it is essential that your machines are kept always operational. Our technicians take care of monitoring the machines health status and know how to return each with and effectively when resided.

### FINANCIAL SOLUTIONS



You can choose to use the freet in different ways. We can advise you on the best financial solution for your business, so that you can get the quality of the Finap world at the most convenient condition for you.

### DIGITAL FLEET MANAGEMENT SYSTEM



With Fimps Rect Management everything is under your control. You can have a complete exerview of the service provided and find out the improvements that can be made, having your considerations on real data, always available with the Muldershee one of EM valents.

#### GENUINE SPARE PARTS



Get the most out of your machines, shoose the reliabilit of Fimap original spare parts. They are designed togethe with the machines, so they perfectly fit them thus our southern the highest quality of performance.

#### CERTIFICATION:









For any additional information or for a demo please contact your usual Fimap dealer



FIMAP spa - Via Invalidi del Lavoro, 1 - 37059 S. Maria di Zevio - Verona - Italy Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fiman@fiman.com

